

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S7	0	ALEserv adj3 database and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:36
S58	0	adjunct adj processor near20 control\$4 near10 ("TDMA" or "GSM" or "TDMA/GSM") adj3 switch and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:53
S59	0	adjunct adj processor near20 (TDMA or GSM) adj3 switch and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:57
S60	3	(TDMA or GSM) and adjunct adj processor near10 control\$4 near10 switch and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:57
S61	12	adjunct adj processor with (load\$3 or download\$3 or upload\$3) with (help or diagnostic or instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:06
S62	0	S60 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 10:57
S63	0	(TDMA or GSM) and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:38
S64	3	(control or adjunct) adj processor near20 (TDMA or GSM) adj3 switch and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:05
S65	622	(control or adjunct) adj processor near20 ((TDMA or GSM) adj3 switch or (base adj station)) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 07:34

EAST Search History

S66	10	S65 and (adjunct) adj processor near20 ((TDMA or GSM) adj3 switch or (base adj station)) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:24
S67	2	S66 and adjunct adj processor with (load\$3 or download\$3 or upload\$3 or contain\$3 or includ\$3) with (help or diagnostic or instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:29
S70	92	S65 and (control or adjunct) adj processor with (load\$3 or download\$3 or upload\$3 or contain\$3 or includ\$3) with (help or diagnostic or instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:28
S71	0	S70 and (control or adjunct) adj processor with (load\$3 or download\$3 or upload\$3 or contain\$3 or includ\$3 or provid\$3) with (help) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:27
S72	0	S70 and (control or adjunct) adj processor near20 (help) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:01
S73	0	S65 and (control or adjunct) adj processor near20 (help) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:27
S74	34	S70 and (data adj base or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 11:40
S76	3	S74 and (help or diagnostic) adj (instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:34

EAST Search History

S77	6	S74 and (help or diagnostic or service or maintenance) adj (instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:03
S78	16	S74 and (help or diagnostic or service or maintenance) adj4 (instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:40
S79	0	(TDMA or GSM) adj switch with Active adj Library adj Explorer adj service and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:02
S80	4	S65 and (help or diagnostic or maintenance or troubleshoot\$3 or debug\$4) adj (instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:08
S81	4	(control or adjunct) adj processor adj10 (includ\$3 or contain\$3 or "has" or "having" or "have") adj10 (command or usage) adj (instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:10
S82	4	(control or adjunct) adj processor adj10 (includ\$3 or contain\$3 or "has" or "having" or "have") adj10 (command or usage or help) adj (message or assistance or tip or format or instruction or data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:12
S83	4	(control or adjunct) adj processor adj10 (includ\$3 or contain\$3 or "has" or "having" or "have") adj10 (format or command or usage or help or format) adj (message or assistance or tip or format or instruction or data or information or descript\$3) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:14

EAST Search History

S84	0	(in-memory or "in" adj memory) adj (database or data adj base) adj10 (includ\$3 or contain\$3 or "has" or "having" or "have") adj10 (format or command or usage or help or format) adj (message or assistance or tip or format or instruction or data or information or descript\$3) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:15
S85	0	(in-memory or "in" adj memory) adj (database or data adj base) adj10 (format or command or usage or help or format) adj (message or assistance or tip or format or instruction or data or information or descript\$3) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:36
S86	30	incorporat\$3 near5 (format or usage or help or format) near5 (document or message or assistance or tip or instruction or data or information or descript\$3) with (control or command) adj5 (data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:52
S87	0	S65 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:38
S88	0	(TDMA or GSM) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:38
S89	2788	(includ\$3 or accompany\$3 or associat\$3 or incorporat\$3) near10 (troubleshoot\$3 or maintenance or diagnostic or help\$3 or format) near5 (hint or document or message or assistance or tip or instruction or data or information or descript\$3) with (control or command) adj5 (data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 07:34

EAST Search History

S90	7	S65 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:56
S91	2791	(includ\$3 or accompany\$3 or associat\$3 or incorporat\$3) near10 (troubleshoot\$3 or maintenance or diagnostic or help\$3 or format) near5 (hint or document or message or assistance or tip or instruction or data or information or descript\$3) with (control or command) adj5 (data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:12
S92	96	processor near20 ((TDMA or GSM) adj3 switch or (base adj station) or router) and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:03
S93	1	S92 and processor near20 ((TDMA or GSM) adj3 switch or (base adj station) or router) with (includ\$3 or accompany\$3 or associat\$3 or incorporat\$3) near10 (troubleshoot\$3 or maintenance or diagnostic or help\$3 or format) near5 (hint or document or message or assistance or tip or instruction or data or information or descript\$3) with (control or command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:11
S94	1	processor near20 ((TDMA or GSM) adj3 switch or (base adj station) or router) with (includ\$3 or accompany\$3 or associat\$3 or incorporat\$3) near10 (help\$3 or format) near5 (hint or document or message or assistance or tip or instruction or data or information or descript\$3) with (control or command) adj5 (data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:22

EAST Search History

S95	15	processor near20 (switch or (base adj station) or router) with (includ\$3 or accompany\$3 or associat\$3 or incorporat\$3) near10 (help\$3 or format) near5 (hint or document or message or assistance or tip or instruction or data or information or descript\$3) with (control or command) adj5 (data or information) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:39
S96	27	processor near20 (switch or (base adj station) or router) with (includ\$3 or accompany\$3 or associat\$3 or incorporat\$3) near10 (help\$3 or format) near5 (hint or document or message or assistance or tip or instruction or data or information or descript\$3) with (control or command) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:40
S97	29	processor near20 (switch or (base adj station) or router) with (includ\$3 or accompany\$3 or associat\$3 or incorporat\$3) near10 (help\$3 or format or diagnostic) near5 (hint or document or message or assistance or tip or instruction or data or information or descript\$3) with (control or command) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:00
S98	14	S97 not S95	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 08:40
S10 1	679	processor with (includ\$3 or accompany\$3 or associat\$3 or incorporat\$3) near10 (help\$3 or diagnostic or debug\$4) near5 (hint or document or message or assistance or tip or instruction or data or information or descript\$3) and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:03

EAST Search History

S10 2	356	S101 and (diagnostic or debug\$4). ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:02
S10 5	5	S102 and ((TDMA or GSM) adj3 switch or (base adj station) or router) with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:16
S10 6	5	S102 and ((TDMA or GSM) adj3 switch or (base adj station) or router) with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 09:16